

Theodolite survey viva questions Full Version

Theodolite Survey Viva Questions: A Comprehensive Guide for Students and Professionals

Theodolite survey viva questions are an essential part of the examination process for civil engineering students, surveyors, and professionals involved in land surveying and construction projects. Preparing thoroughly for these viva questions ensures a clear understanding of the fundamental concepts, technical procedures, and practical applications of theodolite surveying. This article aims to provide a detailed overview of the most common and important theodolite survey viva questions, along with their answers, to help aspirants excel in their examinations and practical work.

Introduction to Theodolite Survey

Before diving into the viva questions, it is vital to understand what a theodolite is and its role in surveying.

What is a Theodolite?

- A theodolite is a precision instrument used for measuring horizontal and vertical angles during surveying.
- It comprises a telescope mounted on a rotating horizontal and vertical axis, equipped with angle measuring devices.

Applications of Theodolite Survey

- Land survey and boundary demarcation
- Construction layout and alignment
- Angular measurements in topographical surveys
- Engineering projects like road, railway, and dam surveys

Common Theodolite Survey Viva Questions and Answers

Below are categorized common viva questions with detailed answers, aimed at covering theoretical knowledge, practical understanding, and troubleshooting skills.

Basic Concepts and Definitions

- What is the purpose of a theodolite in surveying?

The theodolite is used to measure horizontal and vertical angles accurately, which are essential for plotting positions, establishing boundaries, and aligning structures.

- Explain the parts of a theodolite.

The main parts include the telescope, vertical and horizontal circles, leveling head, tripod, leveling screws, and vernier scales or digital readouts.

- What is the difference between a theodolite and a transit theodolite?

A transit theodolite allows the telescope to rotate and flip over on its horizontal axis, enabling readings from both sides, thus reducing parallax errors. It is more versatile compared to a simple theodolite.

Working and Usage

- Describe the procedure for setting up and leveling a theodolite.

Setup involves selecting a stable tripod, fixing the theodolite on the tripod, rough leveling using tripod legs, and then precise leveling with the foot screws by aligning the bubble tube or electronic level. The instrument must be centered over the station point.

- How do you measure horizontal angles with a theodolite?

Align the telescope with the first station point, record the reading on the horizontal circle, rotate the telescope to the second station, and record the second reading. The difference gives the interior or exterior angle between the points.

- Explain how to measure vertical angles using a theodolite.

Point the telescope at the target, focus sharply, and record the vertical angle from the horizontal line using the vertical circle, which can be read directly from the graduated scale or digital display.

Types of Surveys Using Theodolite

- What are the different types of theodolite surveys?

These include triangulation, traversing, leveling, vertical angle measurement, and topographical surveys.

- Explain the process of triangulation with a theodolite.

Triangulation involves measuring angles in a network of triangles to determine the positions of

points over a large area, using known baseline lengths and angle measurements.

Errors and Corrections

- What are the common errors in theodolite surveying?

- Parallax error
- Collimation error
- Index error of the graduated circles
- Eccentricity error
- Refraction and curvature errors

- How can errors be minimized or corrected?

- Proper instrument calibration and adjustment
- Repeated readings and averaging
- Careful setup and leveling
- Using correction formulas for refraction and curvature

Practical and Troubleshooting Questions

- What precautions should be taken during theodolite survey?

Ensure proper leveling, stable setup, calibration, avoiding direct sunlight on the instrument, and minimizing vibrations or shocks during measurements.

- How do you handle difficult sighting conditions, such as faint targets or obstructed lines of sight?

Use prisms or reflectors, increase the magnification, or select alternative station points to improve visibility and accuracy.

- Explain how to carry out a two-peg or three-peg method for station fixing in theodolite surveying.

The two-peg method involves measuring angles from two known points to a station, while the three-peg method uses three points to accurately locate an unknown point by intersecting measurements.

Advanced and Application-Based Viva Questions

- **Describe the process of setting out a curve using a theodolite.**

It involves marking the curve's tangent points, measuring and transferring angles, and ensuring accurate alignment of the curve using angle measurements from the theodolite.

- **How is a theodolite used in topographical surveying?**

By measuring angles and distances (via stadia or electronic distance measurement), the theodolite helps create detailed contour maps and terrain models.

- **Discuss the importance of calibration of the theodolite before use.**

Calibration ensures that the angle measurements are accurate, preventing systematic errors, and is essential for reliable survey results.

Preparation Tips for Theodolite Viva

To excel in the theodolite survey viva, candidates should:

- Understand the theory and principles behind angle measurement and instrument parts.
- Practice setting up and leveling the theodolite correctly.
- Familiarize themselves with different survey methods and their practical applications.
- Be prepared to identify and troubleshoot common errors.
- Review calibration and correction procedures thoroughly.

Conclusion

The theodolite survey viva questions encompass a wide range of topics, from basic definitions to practical applications and error correction. A comprehensive understanding of these questions and answers not only prepares candidates for viva examinations but also enhances their practical skills in field surveying. Mastery of theodolite surveying principles, procedures, and troubleshooting techniques is crucial for accurate land measurement, construction layout, and engineering projects. Regular practice, coupled with a thorough grasp of theoretical concepts, will ensure success in both academic assessments and real-world surveying tasks.

By staying updated with the latest techniques and maintaining a meticulous approach, surveyors and civil engineers can leverage the full potential of theodolite instruments for precise and reliable measurements.

Theodolite Survey Viva Questions: An In-Depth Guide for Aspiring Surveyors

Theodolite survey viva questions hold a pivotal place in the education and professional development of surveyors, civil engineers, and geospatial specialists. These questions serve not just as a testing tool but as a comprehensive means to evaluate a candidate's understanding of fundamental surveying concepts, practical skills, and problem-solving abilities. As the backbone of many surveying operations, theodolites' precision instruments used for measuring horizontal and vertical angles are central to accurate land measurement, construction layout, and geographic mapping. Mastery over the theoretical and practical aspects of theodolite survey viva questions ensures professionals can confidently undertake complex surveying tasks, interpret data correctly, and troubleshoot equipment issues effectively.

This article aims to demystify the common and critical theodolite survey viva questions, providing insights into their significance, contextual explanations, and practical applications. Whether you are a student preparing for an examination or a professional brushing up on your knowledge, understanding these questions deeply will enhance your competence and confidence.

Understanding the Theodolite: Fundamentals and Functions

What is a Theodolite?

A theodolite is a precision optical instrument used for measuring horizontal and vertical angles in surveying and engineering projects. It consists of a telescope mounted on a movable horizontal and vertical axis, equipped with graduated circles, leveling mechanisms, and sometimes electronic components in modern versions (total stations).

Core Components of a Theodolite

- Telescope: The main optical device used for sighting and measuring angles.
- Horizontal and Vertical Clamps and Tangents: Allow precise movement and locking of the telescope.
- Graduated Circles: Usually divided into degrees, minutes, and seconds to read angles.
- Leveling Bubble: Ensures the instrument is perfectly horizontal.
- Base Plate and Tripod: Provide stability and support.

Types of Theodolites

- Transit Theodolite: Traditional, manual instrument where the telescope swings in a vertical plane.

- Digital Theodolite: Equipped with electronic angle measurement capabilities.
- Total Station: Combines theodolite functions with electronic distance measurement (EDM) and data recording.

Common Theodolite Survey Viva Questions and Their Significance

- What are the main functions of a theodolite?

Understanding the core functions is essential because they form the basis of all surveying operations. The main functions include:

- Measuring horizontal angles.
- Measuring vertical angles.
- Laying out angles and directions.
- Establishing reference lines and points.
- Supporting triangulation and traversing operations.

Significance: Mastery of these functions ensures precise data collection and layout work.

- Explain the principle of measurement in a theodolite.

The measurement principle involves the division of a graduated circle into degrees, minutes, and seconds, and the use of the telescope to sight between points. Horizontal angles are measured by rotating the telescope horizontally, while vertical angles are measured by tilting the telescope vertically.

Significance: Knowing the principle helps in understanding errors, calibration, and the importance of accuracy.

- Describe the process of leveling the theodolite.

Leveling involves adjusting the instrument so that the line of sight is perfectly horizontal. It typically involves:

- Mounting the instrument on a tripod.
- Using foot screws to roughly level the instrument.

- Using the leveling bubble to achieve precise leveling by adjusting the foot screws until the bubble is centered.

Common Levels of Accuracy:

- Coarse leveling for general work.
- Fine leveling for precise measurements.

Significance: Proper leveling minimizes measurement errors.

- What are the types of errors associated with theodolite measurements?

Errors can be classified into:

- Instrumental Errors: Caused by imperfections in the instrument (e.g., collimation error).
- Personal Errors: Due to human factors like misreading or misalignment.
- Environmental Errors: Due to atmospheric conditions, temperature variations, or refraction.

Significance: Recognizing errors helps in applying correction techniques and ensuring data accuracy.

- How is the horizontal angle measured using a theodolite?

The procedure involves:

- Setting up the instrument over a station.
- Sight the first point and record the reading.
- Rotate the telescope to sight the second point.
- Record the second reading.
- Repeat the process for multiple stations to improve accuracy.
- Calculate the angle between points, considering the readings and correction factors.

Methods:

- Repeated Setting: Taking multiple readings for better precision.

- Repetition Method: Measuring angles multiple times and averaging.

Significance: Ensures reliable and precise angular measurements.

Practical Aspects of Theodolite Surveying

- How do you set up a theodolite for a survey?

Proper setup involves:

- Selecting a stable and accessible location.
- Mounting the instrument on a tripod.
- Rough leveling with foot screws.
- Fine leveling using the bubble level.
- Centering the instrument over the station point (using a plumb bob or optical plummet).
- Checking and adjusting for collimation error if necessary.

Significance: Correct setup is fundamental to obtaining accurate measurements.

- What is the process of taking horizontal and vertical angle measurements?

- Horizontal angles: Sight from station A to point B, record the reading, then from A to point C, and so on, to form a network.

- Vertical angles: Tilt the telescope vertically to sight the target, record the angle relative to the horizontal.

For both, repeated readings improve reliability, and corrections may be applied for instrument error.

- Explain the concept of station and station setup in theodolite survey.

- A station is a fixed point where the theodolite is set up.
- Proper station setup involves accurate centering, leveling, and orientation.
- Multiple stations are used to traverse and triangulate positions across the survey area.

Significance: Correct station setup ensures the geometric integrity of the survey network.

Error Correction and Data Adjustment

- What are the common correction methods used in theodolite measurements?
- Collimation error correction: Ensures the line of sight is perpendicular to the vertical axis.
- Chamber correction: Adjusts for collimation error when measuring angles.
- Refraction correction: Accounts for atmospheric bending of light.
- Temperature correction: Adjusts readings for thermal expansion or contraction of the instrument.

- How is the collimation error detected and corrected?

- Detection: By observing the same point with the telescope turned in two opposite positions; if the readings differ, collimation error exists.

- Correction: Usually corrected by adjusting the eyepiece or optical components per manufacturer instructions.

Significance: Correcting collimation error is crucial for maintaining angular accuracy.

Practical Applications and Advanced Topics

- How does the total station improve upon the traditional theodolite?

Total stations integrate electronic distance measurement (EDM), digital data recording, and sometimes robotic features, providing:

- Faster data collection.
- Higher accuracy.
- Reduced human errors.
- Automated calculations.

- What are the limitations of a theodolite?

- Sensitive to environmental conditions like wind.

- Requires careful setup and calibration.
 - Limited in measuring long distances without supplementary equipment.
 - Manual operation demands skill and experience.
-
- Discuss the importance of calibration and maintenance of theodolite.

Regular calibration ensures that the instrument's measurements remain accurate over time. Maintenance includes cleaning, lubricating moving parts, and checking for mechanical wear.

Significance: Proper calibration and maintenance extend the lifespan of the instrument and sustain measurement precision.

Additional Viva Questions for Comprehensive Preparation

- How do you determine the orientation of a station?
- Describe the procedure for traversing using a theodolite.
- Explain the concept of magnetic declination and its relevance.
- How is a theodolite used in setting out a building foundation?
- What precautions should be taken during high-precision measurements?

Conclusion

Mastering the theodolite survey viva questions involves a blend of theoretical knowledge, practical skills, and an understanding of error correction techniques. From understanding the instrument's components to executing precise measurements and correcting inaccuracies, each aspect contributes to the integrity of a survey. As surveying technology advances, professionals must also stay updated on the integration of digital tools like total stations and GIS systems, but the foundational principles of theodolite surveying remain central.

Preparing for viva examinations entails not only memorizing key concepts but also cultivating hands-on experience and critical thinking. Through diligent study of these questions and their practical applications, aspiring surveyors can confidently navigate the complexities of land measurement, ensuring accuracy, efficiency, and reliability in their professional endeavors.

Question What is a theodolite and what are its main uses in surveying? A theodolite is an optical instrument used for measuring horizontal and vertical angles in surveying and engineering. Its primary uses include triangulation, traversing, and establishing precise alignments. Explain the principle of measurement in a theodolite. The theodolite operates on the principle of angular measurement. It uses a vernier or digital readout to measure the rotation of the horizontal and

vertical circles, allowing precise determination of angles between points. What are the main parts of a theodolite? The main parts include the telescope, horizontal and vertical circles, leveling screws, tripod, vertical and horizontal clamps, and the optical or electronic measurement system. How do you perform a 'set up and level' procedure in a theodolite survey? Set up involves placing the tripod on a stable surface, attaching the theodolite, and then adjusting the leveling screws to ensure the instrument is perfectly horizontal using the bubble level or electronic leveling system. What are common sources of errors in theodolite surveying and how can they be minimized? Common errors include misalignment, parallax, collimation errors, and instrument instability. Minimization strategies include proper calibration, careful setup, reading from the correct line of sight, and repeated measurements for accuracy. Describe the method of measuring a horizontal angle between two points using a theodolite. First, set up and level the theodolite over a station. Sight the first point and record the horizontal angle. Then, rotate the theodolite to sight the second point, and record the angle. The difference between these readings gives the horizontal angle between the two points.

Related keywords: theodolite survey, survey instrument, measurement accuracy, leveling techniques, horizontal angle measurement, vertical angle measurement, survey procedures, calibration of theodolite, surveying principles, viva questions

Kundrathur map with survey number

Kundrathur map with survey number is an essential resource for anyone interested in land, property, or real estate transactions in the Kundrathur area of Tamil Nadu. Whether you are a potential property buyer, a landowner, a developer, or a government official, having access to an accurate and detailed map with survey numbers can simplify your planning and decision-making process. This article provides comprehensive insights into the significance of Kundrathur maps with survey numbers, how to access them, and their importance in land management and property transactions.

Understanding Kundrathur Map with Survey Number

What is a Kundrathur Map?

A Kundrathur map is a detailed geographical representation of the Kundrathur village and its surroundings. It displays various land parcels, roads, water bodies, and other physical features. These maps are used by government authorities, surveyors, and landowners to understand land boundaries and usage.

What is a Survey Number?

A survey number is a unique identifier assigned to a specific land parcel during land surveying. It helps in accurately locating and referencing a particular piece of land within the larger area. Each survey number corresponds to a specific plot, which is recorded in government land records.

Why is the Map with Survey Number Important?

A map with survey numbers provides a clear visual representation of land boundaries along with their official identifiers. This combination helps:

- Identify exact locations of land parcels
- Verify ownership details
- Facilitate land transactions and legal documentation
- Assist in land development and urban planning
- Ensure transparency in property dealings

How to Access Kundrathur Map with Survey Number

Official Government Sources

The most reliable way to access accurate Kundrathur maps with survey numbers is through government portals:

- **Tamil Nadu Department of Survey and Land Records:** The official portal provides digital maps and land records.
- **Chennai District Revenue Department:** Offers land records, including survey maps specific to Kundrathur.
- **Online Land Record Portals:** Platforms like Tamil Nadu Land Records (tn.gov.in) facilitate online access to land maps and survey details.

Visiting Local Revenue Offices

For detailed or physical copies, visiting the local revenue or land registration offices in Kundrathur can be helpful:

- Request land records using the survey number
- Get printed maps and certified copies
- Consult with officials for clarifications

Using GIS and Mapping Tools

Modern Geographic Information System (GIS) tools and mapping software can help visualize land parcels:

- Google Earth and other GIS applications
- Land mapping apps provided by government agencies
- Third-party mapping services that incorporate official land records

Importance of Kundrathur Map with Survey Number in Real Estate

Property Verification and Due Diligence

Before purchasing land or property, verifying the survey number on the map ensures that the land details match official records. This reduces the risk of disputes or fraudulent transactions.

Legal Documentation and Title Transfer

Accurate survey maps are crucial during registration and transfer of property titles. They provide clarity on boundaries, preventing future legal conflicts.

Land Development and Planning

Developers and urban planners rely on detailed maps with survey numbers to design layouts, infrastructure, and ensure compliance with local regulations.

Resolving Land Disputes

Clear maps with survey numbers help resolve boundary disputes by providing visual evidence of land boundaries and ownership.

Benefits of Using Kundrathur Map with Survey Number

- **Accuracy:** Precise land boundary identification.
- **Convenience:** Easy access to land records online or offline.
- **Transparency:** Clear records reduce disputes and misunderstandings.
- **Time-Saving:** Quick verification process for buyers and sellers.
- **Legal Security:** Strong documentation supports legal claims.

How to Read and Interpret Kundrathur Map with Survey Number

Key Elements of the Map

Understanding the map features will help you extract relevant information:

- **Boundary Lines:** Indicate the exact borders of each land parcel.
- **Survey Numbers:** Unique identifiers for each land parcel.
- **Land Dimensions:** Length and width of the plots.
- **Land Use:** Residential, commercial, agricultural, etc.
- **Roads and Access Points:** Connectivity details.

Interpreting the Map for Land Ownership

To verify ownership:

- Locate the survey number on the map.
- Cross-reference with official land records for ownership details.
- Check the adjoining plots for boundary clarity.
- Verify if the physical land matches the map's depiction.

Conclusion

Having access to a detailed **Kundrathur map with survey number** is invaluable for anyone involved in land transactions, development, or land management in the Kundrathur region. These maps provide transparency, accuracy, and legal security, making them essential tools for property verification and planning. Whether you choose to access maps online through government portals, visit local offices, or utilize GIS tools, ensuring you have the correct survey number mapped accurately can save time, prevent disputes, and facilitate smooth property dealings. Stay informed and always rely on official sources to obtain authentic and up-to-date land records, empowering you to make well-informed decisions regarding land and property in Kundrathur.

Kundrathur Map with Survey Number: A Comprehensive Guide for Buyers, Investors, and Landowners

When exploring land or real estate opportunities in Chennai and its suburbs, the term Kundrathur map with survey number frequently arises. This crucial document and visual tool serve as the backbone for accurate land identification, ownership verification, and legal due diligence. Whether you are a prospective buyer, an investor, or a landowner, understanding how the Kundrathur map

with survey number works can significantly streamline your property transactions and protect your interests.

What Is a Kundrathur Map with Survey Number?

A Kundrathur map with survey number is a detailed diagram that illustrates land parcels within the Kundrathur area, along with their respective survey numbers. These maps are prepared and maintained by the Tamil Nadu Revenue Department and are used for official records, land registration, and legal purposes.

Key Components of the Map

- Survey Number: Unique identifier assigned to each land parcel.
- Boundaries: Clearly demarcated borders of land plots.
- Dimensions: Measurements of each land parcel (length, width, area).
- Land Use Details: Classification such as residential, commercial, agricultural, etc.
- Surrounding Landmarks: Roads, water bodies, temples, or other notable features.

Understanding these components helps stakeholders to precisely locate and verify land parcels in Kundrathur.

Importance of the Kundrathur Map with Survey Number

The map with survey numbers plays a vital role in several aspects of land management and transactions:

- Legal Verification
 - Confirms ownership and title deeds.
 - Ensures the land parcel matches government records.
 - Helps identify boundary disputes and encroachments.
- Property Identification
 - Facilitates accurate location of land parcels.
 - Prevents fraud by verifying survey numbers before purchase.

- Assists in planning construction or development activities.
- Land Registration and Sale
 - Required during registration of property.
 - Ensures transparency and legal compliance.
 - Simplifies transfer of ownership.
- Government Planning and Development
 - Used for urban planning, zoning, and infrastructure development.
 - Helps in assessing land valuation and taxation.

How to Access a Kundrathur Map with Survey Number

Getting the map with survey number involves a few straightforward steps:

Step-by-Step Guide

- Visit the Revenue Department Office or Web Portal
 - Tamil Nadu's Directorate of Land Records (TNRD) provides online access.
 - The official website is <https://tnreginet.gov.in>.
- Register or Log In
 - Create an account or login if you already have credentials.
- Select Land Records or Map Services
 - Choose the appropriate option for land details or map access.

- Enter Details

- Input the district (Chennai), taluk (Kundrathur), and survey number.
- You may also need to specify the village or local area.

- View or Download Map

- The system displays the detailed map with the survey number.
- You can view, save, or print the map for your records.

Alternative Methods

- Visit the Taluk Office: For physical copies or assistance.
- Engage a Land Surveyor: To get professional, detailed maps and verification.

Interpreting the Kundrathur Map with Survey Number

Understanding the map's details ensures you make informed decisions:

Key Aspects to Examine

- Parcel Boundaries: Confirm that the boundaries align with your expectations.
- Survey Number: Cross-verify with your documents.
- Land Area: Check the size and shape of the plot.
- Adjacent Landmarks: Note nearby roads, water bodies, or structures.
- Land Use Classification: Understand permissible activities and restrictions.

Tips for Accurate Interpretation

- Cross-reference the survey number with official land records.
- Use satellite imagery for visual confirmation.
- Consult a professional surveyor for complex cases.

Common Challenges and How to Address Them

While maps and survey numbers are invaluable, some common issues may arise:

- Outdated Maps
 - Maps may not reflect recent boundary changes.
 - Solution: Obtain the latest records from the revenue department.
- Discrepancies in Boundaries
 - Boundaries on the map may differ from physical markers.
 - Solution: Conduct a physical survey or hire a professional.
- Missing or Incorrect Survey Numbers
 - Errors can occur during record keeping.
 - Solution: Verify with multiple sources or official records.
- Encroachments or Disputes
 - Overlapping claims or unauthorized construction.
 - Solution: Legal consultation and dispute resolution mechanisms.

Why Accurate Map and Survey Number Verification Matters

Ensuring you have the correct Kundrathur map with survey number is essential for:

- Legal Peace of Mind: Avoiding future disputes.
- Proper Valuation: Accurate land assessment.
- Smooth Transactions: Quick and hassle-free buying/selling processes.
- Development Planning: Ensuring compliance with local regulations.

Additional Resources and Professional Assistance

- Land Surveyors: For precise measurements and boundary clarification.
- Legal Experts: For due diligence and title verification.
- Real Estate Agents: For guidance on property transactions.
- Government Offices: For official records and dispute resolution.

Conclusion

Understanding the Kundrathur map with survey number is fundamental for anyone involved in land dealings within this thriving suburb of Chennai. It ensures transparency, legal compliance, and peace of mind, whether you are purchasing a new property, investing in land, or managing existing holdings. By leveraging official resources, seeking professional guidance, and staying informed about local land records, you can navigate the complexities of land ownership with confidence.

Always remember: a detailed, accurate map combined with verified survey numbers is your best safeguard in the dynamic landscape of real estate in Kundrathur.

Question What is the significance of the survey number on the Kundrathur map? The survey number uniquely identifies a specific parcel of land on the Kundrathur map, aiding in accurate property identification and record keeping. **Answer** How can I access the Kundrathur map with survey numbers online? You can access the Kundrathur map with survey numbers through the official Tamil Nadu land records portal or local government GIS websites that provide detailed land information. Why is it important to refer to the survey number when buying land in Kundrathur? Referring to the survey number ensures precise identification of the land, helps verify ownership, and prevents disputes or legal issues related to property boundaries. How do I find the survey number for a property in Kundrathur? You can find the survey number by visiting the local land registry office, checking official land records, or using online land record portals with property details. Are there any recent updates to the Kundrathur map with survey numbers? Yes, recent updates are periodically made to reflect boundary adjustments, new surveys, or government land reforms, and these can be accessed through official land record portals. Can I use the Kundrathur map with survey numbers for legal purposes? Yes, the map with survey numbers is a vital document for legal transactions, boundary disputes, and verifying land ownership in Kundrathur. What tools are available to view the Kundrathur map with survey numbers? Various GIS-based tools, government land record websites, and mobile apps provide interactive maps with survey numbers for detailed land analysis in Kundrathur. How accurate is the Kundrathur map with survey numbers? The map is generally accurate as per official land records, but for legal purposes, a recent survey report or official document should be referred to for precise boundaries. Who can I contact for assistance with the Kundrathur map and survey numbers? You can contact the local land registry office, revenue department, or licensed surveyors for assistance with the Kundrathur map and survey number-related inquiries.

Related keywords: Kundrathur map, survey number, land survey Kundrathur, property map

Kundrathur, land records Kundrathur, survey plan Kundrathur, cadastral map Kundrathur, land registration Kundrathur, property details Kundrathur, land ownership Kundrathur

Read the full article online: [kundrathur map with survey number](#)